

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Nordlub Kühlerschutz HD Readymix -35 °C
Article number: 08040

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Anti-freezing agents

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company NORDLUB Deutschland GmbH
Lange Str. 49
21614 Buxtehude / GERMANY
Phone +49 (0)4161 / 55 905 - 0
Fax +49 (0)4161 / 55 905 -29
Homepage www.nordlub.de
E-mail info@nordlub.de

Address enquiries to

Technical information info@nordlub.de

Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

Repr. 1B: H360FD May damage fertility. May damage the unborn child.
STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure.
Acute Tox. 4: H302 Harmful if swallowed.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms



Signal word

DANGER

Contains:

Ethylene glycol
disodium tetraborate pentahydrate

Hazard statements

H360FD May damage fertility. May damage the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.
H302 Harmful if swallowed.

Precautionary statements

P201 Obtain special instructions before use.
P260 Do not breathe vapours / spray.
P280 Wear protective gloves / protective clothing / eye protection / face protection.
P308+P313 IF exposed or concerned: Get medical advice / attention.
P501 Dispose of contents/container in accordance with local/national regulation.

Special labelling

Restricted to professional users.

2.3 Other hazards

Environmental hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Other hazards

Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
30 - 55	Ethylene glycol CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1 GHS/CLP: Acute Tox. 4: H302 - STOT RE 2: H373
0,5 - 1,5	Sodium benzoate CAS: 532-32-1, EINECS/ELINCS: 208-534-8 GHS/CLP: Eye Irrit. 2: H319
0,5 - 1,5	disodium tetraborate pentahydrate CAS: 12179-04-3, EINECS/ELINCS: 215-540-4, EU-INDEX: 005-011-00-4 GHS/CLP: Eye Irrit. 2: H319 - Repr. 1B: H360FD

Comment on component parts

SVHC (Candidate List of Substances of Very High Concern for authorisation) \geq 0.1%
CAS 12179-04-3 - disodium tetraborate pentahydrate
For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take off contaminated clothing and wash before reuse.
Remove affected person from danger area, lay down.
In the event of symptoms seek medical treatment.
If unconscious, place in recovery position and get medical attention immediately.

Inhalation

Ensure supply of fresh air.
Remove the victim into fresh air and keep him calm.
In the event of symptoms seek medical treatment.
If breathing is irregular or stopped, administer artificial respiration.
Consult a doctor immediately.

Skin contact

In case of contact with skin wash off immediately with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Do not induce vomiting.
Rinse out mouth and give plenty of water to drink.
IF you feel unwell: Immediately call a POISON CENTER.
Keep airways free.
In case of spontaneous vomiting, keep the head below the hips to prevent aspiration.

4.2 Most important symptoms and effects, both acute and delayed

By inhalation:
Irritant effects
Cough
Headache
If swallowed:
Irritant effects
Malaise

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Alcohol-resistant foam.
Dry powder.
Carbon dioxide.
Water mist.
Fire extinguishing method of surrounding areas must be considered.

Extinguishing media that must not be used Full water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released:
Carbon monoxide (CO)
Carbon dioxide (CO₂)
Smoke

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.
Use self-contained breathing apparatus.
Cool containers at risk with water spray jet.
Collect contaminated firefighting water separately, must not be discharged into the drains.
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
Wear suitable protective equipment. For personal protection see SECTION 8.
High risk of slipping due to leakage/spillage of product.
Keep away from all sources of ignition.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.
Prevent spread over a wide area (e.g. by containment or oil barriers).
In case the product spills into drains/surface waters/groundwater, immediately inform the authorities.

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, universal absorbent, diatomaceous earth).
Dispose of absorbed material in accordance with the regulations (Section 13).

6.4 Reference to other sections

See SECTION 7+8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.
Provide good room ventilation even at ground level (vapours are heavier than air).
Avoid contact with eyes and skin. Use personal protective equipment.
Place the container in an upright position and protect it against falling over.
Open and handle container with care.
Special instructions for safe handling must be obtained before use.

The product is combustible.
Keep away from open flames, hot surfaces and sources of ignition.
Do not smoke.
Take precautionary measures against static discharges.

Do not eat, drink or smoke when using this product.
Take off contaminated clothing and wash before reuse.
Use barrier skin cream.
Wash hands before breaks and after work.
Cloths contaminated with product should not be kept in trouser pockets.

7.2 Conditions for safe storage, including any incompatibilities

Only use containers that are approved specifically for the substance/product.

Do not store together with food and animal food/diet.
Do not store together with oxidizing agents.
Do not store together with acids.

Keep container tightly closed.
Keep container in a well-ventilated place.
Protect from heat/overheating and from sun.
Keep in a cool place. Store in a dry place.

storage class (TRGS 510)

Storage class 6.1C (VCI)

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (DE)

Substance
Ethylene glycol
CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1
Exposure limit: 10 ppm, 26 mg/m ³ , H, Y, DFG, EU, 11
Factor: 2(I)
Sodium benzoate
CAS: 532-32-1, EINECS/ELINCS: 208-534-8
Exposure limit: 10 mg/m ³ , E, DFG, Y, H (als Benzoat)
Factor: 2 (II)

Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES
Ethylene glycol
CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1
Eight hours: 20 ppm, 52 mg/m ³ , H
Short-term (15-minute): 40 ppm, 104 mg/m ³

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	safety glasses (EN 166:2001) Face shield. (EN 166)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. >= 0,11 mm, Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Protective clothing (EN 340)
Other	Do not breathe vapour/spray. Avoid contact with eyes and skin. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
Respiratory protection	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, filter A. (DIN EN 14387)
Thermal hazards	not applicable
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Color	yellow
Odor	No information available.
Odour threshold	No information available.
pH-value	7,0 - 9,0
pH-value [1%]	No information available.
Boiling point [°C]	> 170
Flash point [°C]	> 110
Flammability (solid, gas) [°C]	not applicable
Lower explosion limit	3,2 Vol.% (CAS 107-21-1)
Upper explosion limit	15,3 Vol.% (CAS 107-21-1)
Oxidising properties	none
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm ³]	1,12 - 1,16 (20°C)
Relative density	No information available.
Bulk density [kg/m ³]	not applicable
Solubility in water	miscible
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	< 2
Kinematic viscosity	3-6 mm ² /s (40°C)
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	> -30
Auto-ignition temperature	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	not applicable

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.
Reactions with strong acids and alkalies.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Keep away from frost.

10.5 Incompatible materials

See SECTION 10.3.

10.6 Hazardous decomposition products

No decomposition if used and stored according to specifications.
In the event of fire: See SECTION 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product
ATE-mix, oral, > 300 - 2000 mg/kg
Substance
Sodium benzoate, CAS: 532-32-1
LD50, oral, Rat, 3 450 mg/kg bw
Ethylene glycol, CAS: 107-21-1
oral, Human, ca. 100 ml (minimum lethal dose_GESTIS)
LD50, oral, Rat, 5840 mg/kg (Lit.)
LDLo, oral, Human, 786 mg/kg (RTECS)
ATE, oral, 500 mg/kg (Acute Tox. 4)

Acute dermal toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
Sodium benzoate, CAS: 532-32-1
LD50, dermal, Rabbit, > 2000 mg/kg bw
Ethylene glycol, CAS: 107-21-1
LD50, dermal, Rat, 9530 mg/kg (Lit.)

Acute inhalational toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
Sodium benzoate, CAS: 532-32-1
LC50, inhalativ (dust), Rat, > 12,2 mg/L/4h
Ethylene glycol, CAS: 107-21-1
LC50, inhalative, Rat, 2,5 g/l/6h (Lit.)

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance
Sodium benzoate, CAS: 532-32-1
irritant
Ethylene glycol, CAS: 107-21-1
no adverse effect observed

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance
Sodium benzoate, CAS: 532-32-1
non-irritating
Ethylene glycol, CAS: 107-21-1

Guinea pig, no adverse effect observed

Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled.

Substance

Sodium benzoate, CAS: 532-32-1

dermal, non-sensitizing

Ethylene glycol, CAS: 107-21-1

dermal, no adverse effect observed

Specific target organ toxicity — single exposure Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure Ingredients:
CAS 107-21-1: May cause damage to organs through prolonged or repeated exposure (oral, kidney).
Product:
May cause damage to organs through prolonged or repeated exposure.
Calculation method

Substance

Sodium benzoate, CAS: 532-32-1

NOAEL, dermal, Rabbit, 2500 mg/kg bw/day

NOAEL, inhalative, Rat, 250 mg/m³ air

NOAEL, oral, Rat, 1000 mg/kg bw/day

Mutagenicity Based on the available information, the classification criteria are not fulfilled.

Substance

Sodium benzoate, CAS: 532-32-1

in vitro, negativ

Ethylene glycol, CAS: 107-21-1

in vitro, negativ

Reproduction toxicity May damage the unborn child.
May damage fertility.
Calculation method

Substance

Sodium benzoate, CAS: 532-32-1

NOAEL, oral, Rat, 500 mg/kg bw/d (Effect on fertility), no adverse effect observed

NOAEC, oral, Rat, 175 mg/kg bw/d (Effect on developmental toxicity), no adverse effect observed

disodium tetraborate pentahydrate, CAS: 12179-04-3

Harmonized classification: Repr. 1B H360FD

Carcinogenicity Based on the available information, the classification criteria are not fulfilled.

Substance

Sodium benzoate, CAS: 532-32-1

NOAEL, oral, Rat, 1000 mg/kg bw/day, no adverse effect observed

Aspiration hazard Based on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

11.2 Information on other hazards

Endocrine disrupting properties	No information available.
Other information	none

SECTION 12: Ecological information

12.1 Toxicity

Substance
Sodium benzoate, CAS: 532-32-1
LC50, (96h), Pimephales promelas, >100 mg/l OECD 203
EC50, (96h), Daphnia magna, >100 mg/l OECD 202
Ethylene glycol, CAS: 107-21-1
LC50, (96h), fish, 18000 - 46000 mg/l (Lit.)
EC50, (96h), Daphnia magna, > 100 mg/l (Lit.)
IC50, (72h), Algae, > 100 mg/l (Lit.)
NOEC, (72d), Ceriodaphnia dubia, 8590 mg/l (Lit.)
NOEC, (72d), Oncorhynchus mykiss, 15380 mg/l (Lit.)

12.2 Persistence and degradability

Behaviour in environment compartments	No information available.
Behaviour in sewage plant	No information available.
Biological degradability	CAS 107-21-1: > 90%, 10d (OECD 301 A)

12.3 Bioaccumulative potential

CAS 107-21-1: Log Pow = -1,36

12.4 Mobility in soil

The product is water soluble.
Due to the chemical and physical properties the product is mobile in soil in general. May impurify the groundwater.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

Ecological data of complete product are not available.
The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.
Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Dispose of contents/container in accordance with local/national regulation.
Coordinate disposal with the disposal contractor/authorities if necessary.

Waste no. (recommended) 160114*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110* packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014
TRANSPORT-REGULATIONS	ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2022)
NATIONAL REGULATIONS (DE):	Hazardous Substances Ordinance - GefStoffV 2016; Detergent and Cleaning Agents Act - WRMG; Federal Water Act - WHG; Technical Rule for Hazardous Substances - TRGS: 200, 220, 615, 900, 905.
- Water hazard class	1, conf. AwSV, 18.04.2017
- Decree for case of interference, observe limits	not applicable
- Class. according to TA-Luft	5.2.7.
Storage class (TRGS 510)	Storage class 6.1C (VCI)
- Observe employment restrictions for people	Observe employment restrictions for young people. Observe employment restrictions for mothers-to-be and nursing mothers.
- VOC (2010/75/CE)	No information available.
- Other regulations	Chemikalien-Verbotsverordnung - pay attention ChemVerbotsV. TRGS 400: Risk assessment TRGS 510: Storage of hazardous substances in non-stationary containers

15.2 Chemical safety assessment

No information available.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H360FD May damage fertility. May damage the unborn child.
H319 Causes serious eye irritation.

H373 May cause damage to organs (Kidney) through prolonged or repeated exposure.
H302 Harmful if swallowed.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV@/TWA = Threshold limit value – time-weighted average
TLV@STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Repr. 1B: H360FD May damage fertility. May damage the unborn child. (Calculation method)
STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure. (Calculation method)
Acute Tox. 4: H302 Harmful if swallowed. (Calculation method)

Modified position

SECTION 2 deleted: P102 Keep out of reach of children.
SECTION 2 deleted: P101 If medical advice is needed, have product container or label at hand.
SECTION 2 deleted: P405 Store locked up.
SECTION 2 been added: Restricted to professional users.



Copyright: Chemiebüro®

