

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Nordlub Industrie-Getriebeöl CLP ISO VG 150 SYNTH
Product code : 4119
Type of product : NORDLUB
Product group : Blend
Other means of identification : Art.-Nr.: 16025

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use
Industrial/Professional use spec : Non-dispersive use
Used in closed systems
Function or use category : Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

NORDLUB Deutschland GmbH
Lange Str. 49
D-21614 Buxtehude
Deutschland / Germany
T +49 (0)4161 / 55 905 - 0, F +49 (0)4161 / 55 905 - 29
info@nordlub.de, www.nordlub.de

1.4. Emergency telephone number

Emergency number : +49 (0)4161 / 55 905 - 0

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Israel	Israel Poison Information Center Rambam Health Care Campus	6 Ha'Aliya Street 31096	+972 4 854 1900	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090	+356 2545 6508	
Sweden	Giftinformationscentralen	Box 60 500 171 76 Stockholm	112 – begär Giftinformation +46 10 456 6700 (Från utlandet)	

Nordlub Industrie-Getriebeöl CLP ISO VG 150 SYNTH

Safety Data Sheet

*** DRAFT ***

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, H412
Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -
Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP) : P273 - Avoid release to the environment.
P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
EUH-statements : EUH208 - Contains Polysulfides, di-tert-Bu, Polysulfides, di-tert-dodecyl, Amines, C10-14-tert-alkyl. May produce an allergic reaction.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : The mineral oils in the product contain < 3% DMSO extract (IP 346)

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Polysulfides, di-tert-Bu	CAS-No.: 68937-96-2 EC-No.: 273-103-3 REACH-no: 01-2119540515-43	1 – 2.49	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Polysulfides, di-tert-dodecyl	CAS-No.: 68425-15-0 EC-No.: 270-335-7	0.1 – 0.99	Skin Sens. 1B, H317

Nordlub Industrie-Getriebeöl CLP ISO VG 150 SYNTH

Safety Data Sheet

*** DRAFT ***

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Amines, C10-14-tert-alkyl	EC-No.: 701-175-2 REACH-no: 01-2119456798-18	0.01 – 0.099	Acute Tox. 4 (Oral), H302 (ATE=612 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=251 mg/kg bodyweight) Acute Tox. 2 (Inhalation:vapour), H330 (ATE=1.19 mg/l/4h) Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Polysulfides, di-tert-Bu	CAS-No.: 68937-96-2 EC-No.: 273-103-3 REACH-no: 01-2119540515-43	(6 ≤ C < 100) Skin Sens. 1B, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Not expected to require first aid measures.
First-aid measures after skin contact	: Wash skin with mild soap and water.
First-aid measures after eye contact	: In case of eye contact, immediately rinse with clean water for 10-15 minutes.
First-aid measures after ingestion	: Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
Symptoms/effects after eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
Symptoms/effects after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water fog. Foam. Powder. Dry chemical product.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

Nordlub Industrie-Getriebeöl CLP ISO VG 150 SYNTH

Safety Data Sheet

*** DRAFT ***

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters

Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment	: Wear suitable protective clothing and gloves.
----------------------	---

6.1.2. For emergency responders

Protective equipment	: Wear suitable protective clothing and gloves.
----------------------	---

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment	: Impound and recover large spill by mixing it with inert granular solids.
Methods for cleaning up	: Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.
Other information	: Spill area may be slippery. Use suitable disposal containers.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.
Handling temperature	: < 40 °C
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage temperature	: ≤ 40 °C
Storage area	: Store in dry, cool, well-ventilated area.

Germany

Storage class (LGK, TRGS 510)	: LGK 10-13 - Other combustible and non-combustible substances
-------------------------------	--

Switzerland

Storage class (LK)	: LK 10/12 - Liquids
--------------------	----------------------

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

Nordlub Industrie-Getriebeöl CLP ISO VG 150 SYNTH

Safety Data Sheet

*** DRAFT ***

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Additional information

: 5 mg/m³ for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

No additional information available

8.2.2.2. Skin protection

Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

Hand protection:

Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Nitrile rubber (NBR) /

8.2.2.3. Respiratory protection

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Yellow.
Appearance	: Oily liquid.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available

Nordlub Industrie-Getriebeöl CLP ISO VG 150 SYNTH

Safety Data Sheet

*** DRAFT ***

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 240 °C (ASTM D92)
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: 150 mm ² /s @40°C (ASTM D445)
Solubility	: Slightly soluble, the product remains on the water surface.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 853 kg/m ³ @15°C (ASTM D4052)
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal conditions.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Strong oxidizers. acids. Bases.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Polysulfides, di-tert-Bu (68937-96-2)	
LD50 oral rat	> 2000 mg/kg (401 Acute Oral)
LD50 oral	6500 mg/kg rat
LD50 dermal rat	> 2000 mg/kg (402 Acute Dermal Toxicity)

Nordlub Industrie-Getriebeöl CLP ISO VG 150 SYNTH

Safety Data Sheet

*** DRAFT ***

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Polysulfides, di-tert-dodecyl (68425-15-0)	
LD50 oral rat	> 2000
LD50 dermal rat	> 2000 (OECD 402)
Amines, C10-14-tert-alkyl	
LD50 oral rat	612 mg/kg (OECD 401)
LD50 dermal rat	251 mg/kg (OECD 402)
LC50 Inhalation - Rat (Vapours)	1.19 mg/l/4h @4h (OECD 403)
Skin corrosion/irritation	: Not classified
Polysulfides, di-tert-Bu (68937-96-2)	
Skin corrosion/irritation, Acute, rabbit	Causes mild skin irritation (OECD 404)
Polysulfides, di-tert-dodecyl (68425-15-0)	
Skin corrosion/irritation, Acute, rabbit	Causes mild skin irritation (OECD 405)
Amines, C10-14-tert-alkyl	
Skin corrosion/irritation, rabbit	Necrosis
Serious eye damage/irritation	: Not classified
Polysulfides, di-tert-Bu (68937-96-2)	
Serious eye damage/irritation, Acute, rabbit	Negative (OECD 405)
Polysulfides, di-tert-dodecyl (68425-15-0)	
Serious eye damage/irritation, Acute, rabbit	Negative (OECD 405)
Amines, C10-14-tert-alkyl	
Serious eye damage/irritation, rabbit	Necrosis
Respiratory or skin sensitisation	: Not classified
Polysulfides, di-tert-Bu (68937-96-2)	
Skin sensitization, Dermal, Guinea pig	Negative (OECD 406)
Amines, C10-14-tert-alkyl	
Skin sensitization, Guinea pig	Positive
Germ cell mutagenicity	: Not classified
Polysulfides, di-tert-Bu (68937-96-2)	
In vitro Mammalian Cell Gene Mutation Test, In vitro, mammalian	Positive (OECD 476, WOE does not support classification)
, In vitro, Bacteria	Negative (OECD 471)
Mammalian Chromosomal Aberration Test, In vitro, mammalian	Negative (OECD 473)
Mammalian Erythrocyte Micronucleus Test, In vivo, mammalian	Negative (OECD 474)
Polysulfides, di-tert-dodecyl (68425-15-0)	
Mammalian Cell Gene Mutation Test, In vitro, mammalian	Positive (OECD 476, WOE does not support classification)
Bacterial Reverse Mutation Test, In vitro, Bacteria	Negative (OECD 471)

Nordlub Industrie-Getriebeöl CLP ISO VG 150 SYNTH

Safety Data Sheet

*** DRAFT ***

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Polysulfides, di-tert-dodecyl (68425-15-0)	
Mammalian Chromosomal Aberration Test, In Vitro, mammalian	Negative (OECD 473)
Mammalian Erythrocyte Micronucleus Test, In vivo, mammalian	Negative (OECD 474)
Amines, C10-14-tert-alkyl	
Bacterial Reverse Mutation Test, In vitro, Bacteria	Negative (OECD 471)
Mammalian Chromosomal Aberration Test, In vitro, mammalian	Negative (OECD 476)
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Polysulfides, di-tert-Bu (68937-96-2)	
NOAEL (subacute, oral, 28 days)	100 mg/kg bodyweight/day rat (OECD 407)
Polysulfides, di-tert-dodecyl (68425-15-0)	
NOAEL (subchronic, oral, 90 days)	1000 mg/kg bodyweight/day rat (OECD 409)
Amines, C10-14-tert-alkyl	
NOAEL (subacute, dermal, 28 days)	20 mg/kg bodyweight/day rat (OECD 410)
NOAEC (subacute, inhalation, 28 days)	0.019 mg/l rat (OECD 412)
NOAEL (dermal, rat/rabbit, 90 days)	20 mg/kg bodyweight/day
NOAEC (inhalation, rat, vapour, 90 days)	19 mg/l
Aspiration hazard	: Not classified
Nordlub Industrie-Getriebeöl CLP ISO VG 150 SYNTH	
Viscosity, kinematic	150 mm²/s @40°C (ASTM D445)

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

Polysulfides, di-tert-Bu (68937-96-2)	
LC50 - Fish [1]	> 0.088 mg/l @96h; Danio Rerio
EC50 - Crustacea [1]	0.24 mg/l @48h; Daphnia magna
EC50 - Other aquatic organisms [1]	45.1 @28d; Microorganism
EC50 72h - Algae [1]	0.838 mg/l @72h; Pseudokirchneriella subcapitata
NOEC chronic algae	0.04 mg/l @72h; Pseudokirchneriella subcapitata

Nordlub Industrie-Getriebeöl CLP ISO VG 150 SYNTH

Safety Data Sheet

*** DRAFT ***

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Polysulfides, di-tert-dodecyl (68425-15-0)	
EC50 72h - Algae [1]	> 100 mg/l @72h; Raphidocelis subcapitata
NOEC (chronic)	10 mg/l @72h; pseudomonas putida
NOEC chronic fish	> 0.00084 mg/l @32d; Pimephales promelas
NOEC chronic crustacea	> 0.00079 mg/l @21d; Daphnia magna
NOEC chronic algae	> 100 mg/l @72h; Raphidocelis subcapitata

Amines, C10-14-tert-alkyl	
LC50 - Fish [1]	1.3 mg/l @96h; Oncorhynchus mykiss
EC50 - Crustacea [1]	2.5 mg/l @48h; Daphnia magna
EC50 72h - Algae [1]	0.44 mg/l @72h; Pseudokirchneriella subcapitata
NOEC chronic fish	0.078 ml/l @96d; Oncorhynchus mykiss
NOEC chronic algae	0.05 mg/l @72h; Pseudokirchneriella subcapitata

12.2. Persistence and degradability

Nordlub Industrie-Getriebeöl CLP ISO VG 150 SYNTH	
Persistence and degradability	Not soluble in water, so only minimally biodegradable.

Polysulfides, di-tert-Bu (68937-96-2)	
Persistence and degradability	Not rapidly degradable

Polysulfides, di-tert-dodecyl (68425-15-0)	
Persistence and degradability	Not rapidly degradable
Biodegradation	0 % @28d (OECD 301F)

Amines, C10-14-tert-alkyl	
Persistence and degradability	Not rapidly degradable
Biodegradation	21.8 % @28d (OECD 301D)

12.3. Bioaccumulative potential

Polysulfides, di-tert-Bu (68937-96-2)	
Partition coefficient n-octanol/water (Log Pow)	5.6

Polysulfides, di-tert-dodecyl (68425-15-0)	
Partition coefficient n-octanol/water (Log Pow)	> 6.2
Bioaccumulative potential	High.

Amines, C10-14-tert-alkyl	
Partition coefficient n-octanol/water (Log Pow)	2.9

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

Nordlub Industrie-Getriebeöl CLP ISO VG 150 SYNTH

Safety Data Sheet

*** DRAFT ***

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable

14.3. Transport hazard class(es)

ADR
Transport hazard class(es) (ADR) : Not applicable

IMDG
Transport hazard class(es) (IMDG) : Not applicable

IATA
Transport hazard class(es) (IATA) : Not applicable

ADN
Transport hazard class(es) (ADN) : Not applicable

RID
Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable

14.5. Environmental hazards

Other information : No supplementary information available

Nordlub Industrie-Getriebeöl CLP ISO VG 150 SYNTH

Safety Data Sheet

*** DRAFT ***

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Polysulfides, di-tert-Bu, Polysulfides, di-tert-dodecyl are listed

Nordlub Industrie-Getriebeöl CLP ISO VG 150 SYNTH

Safety Data Sheet

*** DRAFT ***

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SZW-lijst van mutagene stoffen : Polysulfides, di-tert-Bu, Polysulfides, di-tert-dodecyl are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with the product

Sweden

Swedish product registration number : 684497-1

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information

Abbreviations and acronyms:

	ACGIH: American Conference of Governmental Industrial Hygienists
	TWA: Time Weighted Average
	TLV: Threshold Limit Value
	ASTM: American Society for Testing and Materials
	ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route
	RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
	ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
	IMDG: International Maritime Dangerous Goods
	ICAO: International Civil Aviation Organization
	IATA: International Air Transport Association
	STEL: Short Term Exposure Limit
	LD50: median Lethal Dose for 50% of subjects
	ATE: acute toxicity estimate
	LC50: median Lethal Concentration for 50% of subjects
	EC50: concentration producing 50% effect

Other information : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of H- and EUH-statements:

Acute Tox. 2 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3

Nordlub Industrie-Getriebeöl CLP ISO VG 150 SYNTH

Safety Data Sheet

*** DRAFT ***

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
EUH208	Contains Polysulfides, di-tert-Bu, Polysulfides, di-tert-dodecyl, Amines, C10-14-tert-alkyl. May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.