

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: Nordlub Lenkgetriebeöl PSF
Product code	: 23010
Type of product	: NORDLUB
Product group	: Blend
Other means of identification	: Art.Nr.: 31015

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Industrial use, Professional use, Consumer use
Industrial/Professional use spec	: Non-dispersive use Used in closed systems
Function or use category	: Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

NORDLUB Deutschland GmbH
Lange Str. 49
D-21614 Buxtehude
Deutschland / Germany
T +49 (0)4161 / 55 905 - 0 - F +49 (0)4161 / 55 905 - 29
info@nordlub.de - www.nordlub.de

1.4. Emergency telephone number

Emergency number : +49 (0)4161 / 55 905 - 0

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP)	: -
Hazard statements (CLP)	: H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P273 - Avoid release to the environment. P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. P102 - Keep out of reach of children.
EUH-statements	: EUH208 - Contains Long chain hydroxyalkylamine, C14-18 alpha-olefin epoxide, reaction products with boric acid, Benzene, polypropene derivatives, sulfonated, calcium salts, 1-(tert-dodecylthio)propan-2-ol . May produce an allergic reaction.

Nordlub Lenkgetriebeöl PSF

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : The mineral oils in the product contain $< 3\%$ DMSO extract (IP 346)

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Thiophene, tetrahydro-, 1, 1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	CAS-No.: 398141-87-2 EC-No.: 800-172-4 REACH-no: 01-2119969520-35	1 – 1.49	Aquatic Chronic 2, H411
Reaction products of Benzeneamine, N-phenyl- with nonene (branched)	EC-No.: 253-249-4 REACH-no: 01-2119488911-28	1 – 1.49	Aquatic Chronic 4, H413
Acetamide, 2-hydroxy-, N, N-dicocoalkyl derivs	EC-No.: 471-920-1 REACH-no: 01-0000019770-68	0.1 – 0.99	Skin Sens. 1, H317
Long chain hydroxyalkylamine	EC-No.: 482-000-4 REACH-no: 01-0000020142-86	0.1 – 0.99	Skin Sens. 1, H317 Aquatic Chronic 3, H412
1-(tert-dodecylthio)propan-2-ol	CAS-No.: 67124-09-8 EC-No.: 266-582-5 REACH-no: 01-2119953277-30	0.1 – 0.75	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
C14-18 alpha-olefin epoxide, reaction products with boric acid	EC-No.: 939-580-3 REACH-no: 01-2119976364-28	0.1 – 0.24	Skin Sens. 1B, H317
Benzene, polypropene derivatives, sulfonated, calcium salts	EC-No.: POLYMER REACH-no: 01-2120040541-70	0.1 – 0.24	Skin Sens. 1, H317
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	CAS-No.: 1218787-32-6 EC-No.: 620-540-6 REACH-no: 01-2119510877-33	0.1 – 0.24	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 2, H411
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	CAS-No.: 95-38-5 EC-No.: 202-414-9 REACH-no: 01-2119777867-13	0.1 – 0.24	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Corr. 1C, H314 Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

Nordlub Lenkgetriebeöl PSF

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Acetamide, 2-hydroxy-, N, N-dicocoalkyl derivs	EC-No.: 471-920-1 REACH-no: 01-0000019770-68	(9.4 ≤C < 100) Skin Sens. 1, H317
Benzene, polypropene derivatives, sulfonated, calcium salts	EC-No.: POLYMER REACH-no: 01-2120040541-70	(10 ≤C < 100) Skin Sens. 1B, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Not expected to require first aid measures.
First-aid measures after skin contact	: Wash skin with mild soap and water.
First-aid measures after eye contact	: In case of eye contact, immediately rinse with clean water for 10-15 minutes.
First-aid measures after ingestion	: Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
Symptoms/effects after eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
Symptoms/effects after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water fog. Foam. Powder. Dry chemical product.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment	: Wear suitable protective clothing and gloves.
----------------------	---

6.1.2. For emergency responders

Protective equipment	: Wear suitable protective clothing and gloves.
----------------------	---

Nordlub Lenkgetriebeöl PSF

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment	: Impound and recover large spill by mixing it with inert granular solids.
Methods for cleaning up	: Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.
Other information	: Spill area may be slippery. Use suitable disposal containers.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.
Handling temperature	: < 40 °C
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage temperature	: ≤ 40 °C
Storage area	: Store in dry, cool, well-ventilated area.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2 Recommended monitoring procedures

No additional information available

8.1.3 Air contaminants formed

No additional information available

8.1.4 DNEL and PNEC

Additional information	: 5 mg/m ³ for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).
------------------------	--

8.1.5 Control banding

No additional information available

8.2. Exposure controls

8.2.1 Appropriate engineering controls

No additional information available

8.2.2 Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves.

Nordlub Lenkgetriebeöl PSF

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

No additional information available

8.2.2.2. Skin protection

Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

Hand protection:

Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Nitrile rubber (NBR) /

8.2.2.3. Respiratory protection

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Oily liquid.
Colour	: brown.
Odour	: Characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 200 °C @ ASTM D92
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 852 kg/m ³ @ 15°C
Solubility	: Slightly soluble, the product remains on the water surface.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: 33 mm ² /s @ 40°C
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

Nordlub Lenkgetriebeöl PSF

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal conditions.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Strong oxidizers. acids. Bases.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5)

STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
------------------------	--

Aspiration hazard : Not classified

Nordlub Lenkgetriebeöl PSF

Viscosity, kinematic	33 mm ² /s @ 40°C
----------------------	------------------------------

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

Thiophene, tetrahydro-, 1, 1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich (398141-87-2)

LC50 - Fish [1]	2.4 mg/l <i>Oncorhynchus mykiss</i>
LC50 - Fish [2]	3.3 mg/l <i>Cyprinodon variegatus</i>

Nordlub Lenkgetriebeöl PSF

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Thiophene, tetrahydro-, 1, 1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich (398141-87-2)	
EC50 - Crustacea [1]	4.6 mg/l Daphnia magna
EC50 72h - Algae [1]	63 mg/l Selenastrum capricornutum
NOEC (chronic)	1 mg/l @4 DY (Oncorhynchus mykiss)
NOEC chronic crustacea	0.63 mg/l 2 DY (Daphnia magna)
NOEC chronic algae	0.313 mg/l 3 DY (Selenastrum capricornutum)
Reaction products of Benzeneamine, N-phenyl- with nonene (branched)	
LC50 - Fish [1]	> 100 mg/l (Brachydanio rerio)
EC50 - Crustacea [1]	> 100 mg/l (Daphnia magna)
EC50 - Other aquatic organisms [2]	> 1000 mg/l
EC50 72h - Algae [1]	600 mg/l 3d - Chlorophyta
Acetamide, 2-hydroxy-, N, N-dicocoalkyl derivs	
EC50 - Crustacea [1]	180 mg/l Daphnia magna
NOEC chronic crustacea	100 mg/l @21DY (Daphnia magna)
C14-18 alpha-olefin epoxide, reaction products with boric acid	
LC50 - Fish [1]	> 100 mg/l (Oncorhynchus mykiss)
EC50 - Crustacea [1]	> 100 mg/l (Daphnia magna)
EC50 72h - Algae [1]	> 100 mg/l (Selenastrum capricornutum)
NOEC (acute)	32 mg/l @ 2DY (Daphnia magna)
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol (1218787-32-6)	
LC50 - Fish [1]	0.1 mg/l Brachydanio rerio
EC50 - Crustacea [1]	0.043 mg/l Daphnia magna
EC50 72h - Algae [1]	0.0053 mg/l Pseudokirchneriella subcapitata
NOEC chronic algae	0.0156 mg/l @3DY (Pseudokirchneriella subcapitata)
1-(tert-dodecylthio)propan-2-ol (67124-09-8)	
LC50 - Fish [1]	> 0.75 mg/l Oncorhynchus mykiss
EC50 - Crustacea [1]	0.58 mg/l Daphnia magna
EC50 72h - Algae [1]	> 100 mg/l Selenastrum capricornutum
NOEC chronic fish	0.56 mg/l
NOEC chronic crustacea	0.32 mg/l @2DY (Daphnia magna)
NOEC chronic algae	100 mg/l @4DY (Selenastrum capricornutum)
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5)	
LC50 - Fish [1]	0.3 mg/l Brachydanio rerio
EC50 - Crustacea [1]	0.163 mg/l Daphnia magna
EC50 - Crustacea [2]	0.34 mg/l
EC50 72h - Algae [1]	0.03 mg/l
NOEC chronic algae	0.011 mg/l

Nordlub Lenkgetriebeöl PSF

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.2. Persistence and degradability

Nordlub Lenkgetriebeöl PSF

Persistence and degradability	Not soluble in water, so only minimally biodegradable.
-------------------------------	--

Thiophene, tetrahydro-, 1, 1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich (398141-87-2)

Persistence and degradability	Not readily biodegradable.
-------------------------------	----------------------------

BOD (% of ThOD)	9.6 % ThOD 28DY OECD TG 301 F
-----------------	-------------------------------

Reaction products of Benzeneamine, N-phenyl- with nonene (branched)

Biodegradation	0 % @28d OECD TG 301 B
----------------	------------------------

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol (1218787-32-6)

BOD (% of ThOD)	63 % ThOD
-----------------	-----------

1-(tert-dodecylthio)propan-2-ol (67124-09-8)

BOD (% of ThOD)	5.9 % ThOD @28DY OECD TG 301 F
-----------------	--------------------------------

12.3. Bioaccumulative potential

Thiophene, tetrahydro-, 1, 1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich (398141-87-2)

Bioconcentration factor (BCF REACH)	27.54
-------------------------------------	-------

Partition coefficient n-octanol/water (Log Kow)	4.1
---	-----

Bioaccumulative potential	Potential to bioaccumulate.
---------------------------	-----------------------------

Reaction products of Benzeneamine, N-phenyl- with nonene (branched)

Bioconcentration factor (BCF REACH)	1584.89
-------------------------------------	---------

Partition coefficient n-octanol/water (Log Kow)	10.88
---	-------

C14-18 alpha-olefin epoxide, reaction products with boric acid

Partition coefficient n-octanol/water (Log Kow)	9.4 Calc.
---	-----------

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol (1218787-32-6)

BCF - Fish [1]	110.2 mg/kg
----------------	-------------

Partition coefficient n-octanol/water (Log Kow)	3.6
---	-----

1-(tert-dodecylthio)propan-2-ol (67124-09-8)

Partition coefficient n-octanol/water (Log Kow)	5.7
---	-----

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol (95-38-5)

Partition coefficient n-octanol/water (Log Kow)	> 7
---	-----

12.4. Mobility in soil

Thiophene, tetrahydro-, 1, 1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich (398141-87-2)

Ecology - soil	Adsorbs into the soil.
----------------	------------------------

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

Nordlub Lenkgetriebeöl PSF

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1 UN number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable
UN-No. (ADN) : Not applicable
UN-No. (RID) : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

14.3. Transport hazard class(es)

ADR
Transport hazard class(es) (ADR) : Not applicable

IMDG
Transport hazard class(es) (IMDG) : Not applicable

IATA
Transport hazard class(es) (IATA) : Not applicable

ADN
Transport hazard class(es) (ADN) : Not applicable

RID
Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

Overland transport
Not applicable

Nordlub Lenkgetriebeöl PSF

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : 1-(tert-dodecylthio)propan-2-ol is listed

SZW-lijst van mutagene stoffen : 1-(tert-dodecylthio)propan-2-ol is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen –

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

Nordlub Lenkgetriebeöl PSF

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Revision date	Modified	
	Supersedes	Modified	
2.2	Precautionary statements (CLP)	Modified	
3	Composition/information on ingredients	Modified	
7.2	Storage temperature	Modified	
9.1	Density	Modified	
9.1	Colour	Modified	

Abbreviations and acronyms:	
	ACGIH: American Conference of Governmental Industrial Hygienists
	TWA: Time Weighted Average
	TLV: Threshold Limit Value
	ASTM: American Society for Testing and Materials
	ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route
	RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
	ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
	IMDG: International Maritime Dangerous Goods
	ICAO: International Civil Aviation Organization
	IATA: International Air Transport Association
	STEL: Short Term Exposure Limit
	LD50: median Lethal Dose for 50% of subjects
	ATE: acute toxicity estimate
	LC50: median Lethal Concentration for 50% of subjects
	EC50: concentration producing 50% effect

Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2

Nordlub Lenkgetriebeöl PSF

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4
EUH208	Contains Long chain hydroxyalkylamine, C14-18 alpha-olefin epoxide, reaction products with boric acid, Benzene, polypropene derivatives, sulfonated, calcium salts, 1-(tert-dodecylthio)propan-2-ol . May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.