

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

|                               |                                    |
|-------------------------------|------------------------------------|
| Product form                  | : Mixture                          |
| Product name                  | : Nordlub Getriebeöl ATF-ULV (ROT) |
| Product code                  | : 3027                             |
| Type of product               | : NORDLUB                          |
| Product group                 | : Blend                            |
| Other means of identification | : Art. Nr.: 31021                  |

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

|                                  |  |
|----------------------------------|--|
| Main use category                | : Industrial use, Professional use, Consumer use |
| Industrial/Professional use spec | : Non-dispersive use<br>Used in closed systems   |
| Function or use category         | : Lubricants and additives                       |

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

NORDLUB Deutschland GmbH  
Lange Str. 49  
D-21614 Buxtehude  
Deutschland / Germany  
T +49 (0)4161 / 55 905 - 0 - F +49 (0)4161 / 55 905 - 29  
[info@nordlub.de](mailto:info@nordlub.de) - [www.nordlub.de](http://www.nordlub.de)

### 1.4. Emergency telephone number

|                  |                            |
|------------------|----------------------------|
| Emergency number | : +49 (0)4161 / 55 905 - 0 |
|------------------|----------------------------|

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412  
Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

|                                |   |
|--------------------------------|---|
| Signal word (CLP)              | : -   |
| Hazard statements (CLP)        | : H412 - Harmful to aquatic life with long lasting effects.   |
| Precautionary statements (CLP) | : P273 - Avoid release to the environment.<br>P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.<br>P101 - If medical advice is needed, have product container or label at hand.<br>P102 - Keep out of reach of children. |
| EUH-statements                 | : EUH208 - Contains 4,4'-thiodiethylene hydrogen -2-octodecenylsuccinate. May produce an allergic reaction.   |

### 2.3. Other hazards

No additional information available

# Nordlub Getriebeöl ATF-ULV (ROT)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Comments : The mineral oils in the product contain < 3% DMSO extract (IP 346)

| Name  | Product identifier  | %          | Classification according to Regulation (EC) No. 1272/2008 [CLP]  |
|---|---|------------|--|
| Bis(nonylphenyl)amine   | CAS-No.: 36878-20-3<br>EC-No.: 253-249-4<br>REACH-no: 01-2119488911-28                                | 1 – 2.49   | Aquatic Chronic 4, H413  |
| Reaction mass of isomers of C7-9-alkyl 3-(3,5-di-trans-butyl-4-hydroxyphenyl)propionate | CAS-No.: 125643-61-0<br>EC-No.: 406-040-9<br>EC Index-No.: 607-530-00-7<br>REACH-no: 01-0000015551-76 | 1 – 2.49   | Aquatic Chronic 4, H413  |
| Isooctadecanoic acid, reaction products with tetraethylenepentamine                     | EC-No.: 701-204-9<br>REACH-no: 01-2119960832-33   | 0.1 – 1.5  | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319  |
| 4,4'-thiodiethylene hydrogen -2-octodecenylsuccinate                                    | CAS-No.: 93882-40-7<br>EC-No.: 299-434-3<br>REACH-no: 01-2120735527-50                                | 0.1 – 0.3  | Eye Irrit. 2, H319<br>Skin Sens. 1, H317<br>Aquatic Chronic 2, H411  |
| Thiophene, tetrahydro-, 1, 1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich           | CAS-No.: 398141-87-2<br>EC-No.: 800-172-4<br>REACH-no: 01-2119969520-35                               | 0.1 – 0.3  | Aquatic Chronic 2, H411  |
| Reaction product of alkylthioalcohol and substituted phosphorus compound                | EC-No.: 424-820-7<br>REACH-no: 01-0000017126-75   | 0.1 – 0.24 | Acute Tox. 4 (Dermal), H312<br>Skin Corr. 1B, H314<br>Aquatic Acute 1, H400 (M=10)<br>Aquatic Chronic 1, H410 (M=10) |

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |   |
|---------------------------------------|---|
| First-aid measures after inhalation   | : Not expected to require first aid measures.                                   |
| First-aid measures after skin contact | : Wash skin with mild soap and water.   |
| First-aid measures after eye contact  | : In case of eye contact, immediately rinse with clean water for 10-15 minutes. |
| First-aid measures after ingestion    | : Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.  |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |  |
|-------------------------------------|--|
| Symptoms/effects after inhalation   | : Not expected to present a significant inhalation hazard under anticipated conditions of normal use.  |
| Symptoms/effects after skin contact | : Not expected to present a significant skin hazard under anticipated conditions of normal use.        |
| Symptoms/effects after eye contact  | : Not expected to present a significant eye contact hazard under anticipated conditions of normal use. |
| Symptoms/effects after ingestion    | : Not expected to present a significant ingestion hazard under anticipated conditions of normal use.   |

# Nordlub Getriebeöl ATF-ULV (ROT)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

|                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | : Water fog. Foam. Powder. Dry chemical product. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.               |

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

|                                |   |
|--------------------------------|---|
| Precautionary measures fire    | : Exercise caution when fighting any chemical fire.   |
| Firefighting instructions      | : Use water spray or fog for cooling exposed containers.  |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

|                      |   |
|----------------------|---|
| Protective equipment | : Wear suitable protective clothing and gloves. |
|----------------------|---|

#### 6.1.2. For emergency responders

|                      |   |
|----------------------|---|
| Protective equipment | : Wear suitable protective clothing and gloves. |
|----------------------|---|

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

|                         |   |
|-------------------------|---|
| For containment         | : Impound and recover large spill by mixing it with inert granular solids.            |
| Methods for cleaning up | : Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr. |
| Other information       | : Spill area may be slippery. Use suitable disposal containers.                       |

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

|                               |   |
|-------------------------------|---|
| Precautions for safe handling | : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.                 |
| Handling temperature          | : < 40 °C   |
| Hygiene measures              | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. |

### 7.2. Conditions for safe storage, including any incompatibilities

|                     |   |
|---------------------|---|
| Storage temperature | : ≤ 40 °C                                   |
| Storage area        | : Store in dry, cool, well-ventilated area. |

### 7.3. Specific end use(s)

No additional information available

# Nordlub Getriebeöl ATF-ULV (ROT)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

No additional information available

##### 8.1.2. Recommended monitoring procedures

No additional information available

##### 8.1.3. Air contaminants formed

No additional information available

##### 8.1.4. DNEL and PNEC

Additional information

: 5 mg/m<sup>3</sup> for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).

##### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

##### 8.2.1. Appropriate engineering controls

No additional information available

##### 8.2.2. Personal protection equipment

**Personal protective equipment:**

Safety glasses. Gloves.

**Personal protective equipment symbol(s):**



##### 8.2.2.1. Eye and face protection

No additional information available

##### 8.2.2.2. Skin protection

**Skin and body protection:**

No special clothing/skin protection equipment is recommended under normal conditions of use

**Hand protection:**

Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Nitrile rubber (NBR) /

##### 8.2.2.3. Respiratory protection

**Respiratory protection:**

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

##### 8.2.2.4. Thermal hazards

No additional information available

##### 8.2.3. Environmental exposure controls

No additional information available

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|                |                |
|----------------|----------------|
| Physical state | : Liquid       |
| Appearance     | : Oily liquid. |
| Colour         | : red.         |

# Nordlub Getriebeöl ATF-ULV (ROT)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

|   |   |
|---|---|
| Odour   | : Characteristic.   |
| Odour threshold                                 | : No data available   |
| pH  | : No data available   |
| Relative evaporation rate (butylacetate=1)      | : No data available   |
| Melting point                                   | : No data available   |
| Freezing point                                  | : No data available   |
| Boiling point                                   | : No data available   |
| Flash point                                     | : > 210 °C @ ASTM D92   |
| Auto-ignition temperature                       | : No data available   |
| Decomposition temperature                       | : No data available   |
| Flammability (solid, gas)                       | : No data available   |
| Vapour pressure                                 | : No data available   |
| Relative vapour density at 20 °C                | : No data available   |
| Relative density                                | : No data available   |
| Density   | : 842 kg/m <sup>3</sup> @ 15°C                                |
| Solubility                                      | : Slightly soluble, the product remains on the water surface. |
| Partition coefficient n-octanol/water (Log Pow) | : No data available   |
| Viscosity, kinematic                            | : 17.4 mm <sup>2</sup> /s @ 40°C                              |
| Viscosity, dynamic                              | : No data available   |
| Explosive properties                            | : No data available   |
| Oxidising properties                            | : No data available   |
| Explosive limits                                | : No data available   |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

None under normal conditions.

### 10.4. Conditions to avoid

No data available.

### 10.5. Incompatible materials

Strong oxidizers. acids. Bases.

### 10.6. Hazardous decomposition products

None under normal conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

| Bis(nonylphenyl)amine (36878-20-3) |                       |
|------------------------------------|-----------------------|
| LD50 oral rat                      | > 5000 mg/kg OECD 401 |
| LD50 dermal rat                    | > 2000 mg/kg OECD 402 |

# Nordlub Getriebeöl ATF-ULV (ROT)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Reaction mass of isomers of C7-9-alkyl 3-(3,5-di-trans-butyl-4-hydroxyphenyl)propionate (125643-61-0) |                                     |
|---|-------------------------------------|
| LD50 oral rat   | > 2000 mg/kg OECD 401               |
| LD50 dermal rat   | > 2000 mg/kg OECD 402               |
| Reaction product of alkylthioalcohol and substituted phosphorus compound                              |                                     |
| LD50 oral   | > 2000 mg/kg 67/548/EEG Annex V, B1 |
| LD50 dermal   | > 500 mg/kg 67/548/EEG Annex V, B3  |
| 4,4'-thiodiethylene hydrogen -2-octodeceny succinate (93882-40-7)                                     |                                     |
| LD50 oral   | > 10000 mg/kg                       |
| Isooctadecanoic acid, reaction products with tetraethylenepentamine                                   |                                     |
| LD50 oral rat   | > 5000 mg/kg                        |
| LD50 dermal rabbit  | > 2000 mg/kg                        |
| Skin corrosion/irritation   | : Not classified                    |
| Serious eye damage/irritation   | : Not classified                    |
| Respiratory or skin sensitisation   | : Not classified                    |
| Germ cell mutagenicity  | : Not classified                    |
| Carcinogenicity   | : Not classified                    |
| Reproductive toxicity   | : Not classified                    |
| STOT-single exposure  | : Not classified                    |
| Isooctadecanoic acid, reaction products with tetraethylenepentamine                                   |                                     |
| NOAEL (oral, rat)   | > 1000 mg/kg bodyweight OECD 421    |
| STOT-repeated exposure  | : Not classified                    |
| Aspiration hazard   | : Not classified                    |
| Nordlub Getriebeöl ATF-ULV (ROT)  |                                     |
| Viscosity, kinematic  | 17.4 mm <sup>2</sup> /s @ 40°C      |

## SECTION 12: Ecological information

### 12.1. Toxicity

|   |   |
|---|---|
| Ecology - general   | : Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified  |
| Hazardous to the aquatic environment, long-term (chronic) | : Harmful to aquatic life with long lasting effects.  |

| Bis(nonylphenyl)amine (36878-20-3)  |   |
|---|---|
| LC50 - Fish [1]   | > 100 mg/l OECD 203 (Danio rerio @96h)            |
| EC50 - Crustacea [1]  | > 100 mg/l OECD 202 (Daphnia magna)               |
| EC50 72h - Algae [1]  | > 100 mg/l OECD 201 (Desmodesmus subspicatus)     |
| Reaction mass of isomers of C7-9-alkyl 3-(3,5-di-trans-butyl-4-hydroxyphenyl)propionate (125643-61-0) |   |
| LC50 - Fish [1]   | > 74 mg/l OECD 203, (Danio rerio, 96h)            |
| EC50 - Crustacea [1]  | > 100 mg/l OECD 202, (Daphnia magna, 24h)         |
| EC50 - Other aquatic organisms [1]  | 0 mg/l  |
| EC50 72h - Algae [1]  | > 3 mg/l OECD 201, (Desmodesmus subspicatus, 72h) |

# Nordlub Getriebeöl ATF-ULV (ROT)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Reaction product of alkylthioalcohol and substituted phosphorus compound                              |  |
|---|--|
| LC50 - Fish [1]   | 1.5 mg/l OECD203 - Oncorhynchus mykiss                 |
| EC50 - Crustacea [1]  | 0.09 mg/l OECD 202 - EL50                              |
| EC50 72h - Algae [1]  | 0.31 mg/l 67/548/EEG Annex V, C3                       |
| NOEC (chronic)  | 0.14 (0.01 – 0.1) mg/l Daphnia                         |
| 4,4'-thiodiethylene hydrogen -2-octodecenylsuccinate (93882-40-7)                                     |  |
| LC50 - Fish [1]   | > 1000 mg/l 96h Cyprinodon variegatus - OECD 203       |
| LC50 - Fish [2]   | > 100 mg/l 96h Oryzias latipes - OECD 203              |
| EC50 - Crustacea [1]  | 9.5 mg/l OECD 202                                      |
| EC50 72h - Algae [1]  | > 100 mg/l Pseudokirchneriella subcapitata - OECD 201  |
| Isooctadecanoic acid, reaction products with tetraethylenepentamine                                   |  |
| LC50 - Fish [1]   | > 1000 mg/l OECD 203                                   |
| EC50 - Crustacea [1]  | > 1000 mg/l OECD 202                                   |
| Thiophene, tetrahydro-, 1, 1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich (398141-87-2)           |  |
| LC50 - Fish [1]   | 2.4 mg/l Oncorhynchus mykiss                           |
| LC50 - Fish [2]   | 3.3 mg/l Cyprinodon variegatus                         |
| EC50 - Crustacea [1]  | 4.6 mg/l Daphnia magna                                 |
| EC50 72h - Algae [1]  | 63 mg/l Selenastrum capricornutum                      |
| NOEC (chronic)  | 1 mg/l @4 DY (Oncorhynchus mykiss)                     |
| NOEC chronic crustacea  | 0.63 mg/l 2 DY (Daphnia magna)                         |
| NOEC chronic algae  | 0.313 mg/l 3 DY (Selenastrum capricornutum)            |
| 12.2. Persistence and degradability   |  |
| Nordlub Getriebeöl ATF-ULV (ROT)  |  |
| Persistence and degradability   | Not soluble in water, so only minimally biodegradable. |
| Bis(nonylphenyl)amine (36878-20-3)  |  |
| Persistence and degradability   | Not readily biodegradable.                             |
| Biodegradation  | 1 % @28d   |
| Reaction mass of isomers of C7-9-alkyl 3-(3,5-di-trans-butyl-4-hydroxyphenyl)propionate (125643-61-0) |  |
| Persistence and degradability   | The product is not biodegradable.                      |
| Reaction product of alkylthioalcohol and substituted phosphorus compound                              |  |
| Persistence and degradability   | Not readily biodegradable.                             |
| Biodegradation  | 52.9 % @60d - OECD 301B - 10mg/l                       |
| 4,4'-thiodiethylene hydrogen -2-octodecenylsuccinate (93882-40-7)                                     |  |
| Persistence and degradability   | Not readily biodegradable.                             |
| Biodegradation  | 11 – 14 % OECD 301                                     |
| Isooctadecanoic acid, reaction products with tetraethylenepentamine                                   |  |
| Persistence and degradability   | Readily biodegradable.                                 |

# Nordlub Getriebeöl ATF-ULV (ROT)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Thiophene, tetrahydro-, 1, 1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich (398141-87-2)

|                               |                               |
|-------------------------------|-------------------------------|
| Persistence and degradability | Not readily biodegradable.    |
| BOD (% of ThOD)               | 9.6 % ThOD 28DY OECD TG 301 F |

### 12.3. Bioaccumulative potential

#### Bis(nonylphenyl)amine (36878-20-3)

|   |                             |
|---|-----------------------------|
| Partition coefficient n-octanol/water (Log Pow) | > 7.6                       |
| Bioaccumulative potential                       | Potential to bioaccumulate. |

#### Reaction mass of isomers of C7-9-alkyl 3-(3,5-di-trans-butyl-4-hydroxyphenyl)propionate (125643-61-0)

|   |   |
|---|---|
| BCF - Fish [1]                                  | 260 OECD 305 (Oncorhynchus mykiss, 35d) |
| Partition coefficient n-octanol/water (Log Pow) | 9.2                                     |

#### Reaction product of alkylthioalcohol and substituted phosphorus compound

|                           |                             |
|---------------------------|-----------------------------|
| Bioaccumulative potential | Potential to bioaccumulate. |
|---------------------------|-----------------------------|

#### 4,4'-thiodiethylene hydrogen -2-octodecenylsuccinate (93882-40-7)

|                           |                             |
|---------------------------|-----------------------------|
| Bioaccumulative potential | Potential to bioaccumulate. |
|---------------------------|-----------------------------|

### Thiophene, tetrahydro-, 1, 1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich (398141-87-2)

|   |                             |
|---|-----------------------------|
| Bioconcentration factor (BCF REACH)             | 27.54                       |
| Partition coefficient n-octanol/water (Log Kow) | 4.1                         |
| Bioaccumulative potential                       | Potential to bioaccumulate. |

### 12.4. Mobility in soil

#### Bis(nonylphenyl)amine (36878-20-3)

|                |                        |
|----------------|------------------------|
| Ecology - soil | Adsorbs into the soil. |
|----------------|------------------------|

#### Reaction mass of isomers of C7-9-alkyl 3-(3,5-di-trans-butyl-4-hydroxyphenyl)propionate (125643-61-0)

|                |                        |
|----------------|------------------------|
| Ecology - soil | Adsorbs into the soil. |
|----------------|------------------------|

#### Reaction product of alkylthioalcohol and substituted phosphorus compound

|                |                        |
|----------------|------------------------|
| Ecology - soil | Adsorbs into the soil. |
|----------------|------------------------|

#### 4,4'-thiodiethylene hydrogen -2-octodecenylsuccinate (93882-40-7)

|                |                        |
|----------------|------------------------|
| Ecology - soil | Adsorbs into the soil. |
|----------------|------------------------|

### Thiophene, tetrahydro-, 1, 1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich (398141-87-2)

|                |                        |
|----------------|------------------------|
| Ecology - soil | Adsorbs into the soil. |
|----------------|------------------------|

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available



# Nordlub Getriebeöl ATF-ULV (ROT)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations.

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

#### 14.1 UN number

UN-No. (ADR) : Not applicable  
UN-No. (IMDG) : Not applicable  
UN-No. (IATA) : Not applicable  
UN-No. (ADN) : Not applicable  
UN-No. (RID) : Not applicable

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable  
Proper Shipping Name (IMDG) : Not applicable  
Proper Shipping Name (IATA) : Not applicable  
Proper Shipping Name (ADN) : Not applicable  
Proper Shipping Name (RID) : Not applicable

#### 14.3. Transport hazard class(es)

**ADR**  
Transport hazard class(es) (ADR) : Not applicable

**IMDG**  
Transport hazard class(es) (IMDG) : Not applicable

**IATA**  
Transport hazard class(es) (IATA) : Not applicable

**ADN**  
Transport hazard class(es) (ADN) : Not applicable

**RID**  
Transport hazard class(es) (RID) : Not applicable

#### 14.4. Packing group

Packing group (ADR) : Not applicable  
Packing group (IMDG) : Not applicable  
Packing group (IATA) : Not applicable  
Packing group (ADN) : Not applicable  
Packing group (RID) : Not applicable

#### 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
Other information : No supplementary information available

#### 14.6. Special precautions for user

**Overland transport**  
Not applicable

**Transport by sea**  
Not applicable

# Nordlub Getriebeöl ATF-ULV (ROT)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Air transport

Not applicable

### Inland waterway transport

Not applicable

### Rail transport

Not applicable

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

#### 15.1.2. National regulations

##### Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

##### Denmark

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with the product

##### Switzerland

Storage class (LK) : LK 10/12 - Liquids

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

## SECTION 16: Other information

### Abbreviations and acronyms:

|  |  |
|--|--|
|  | ACGIH: American Conference of Governmental Industrial Hygienists |
|  | TWA: Time Weighted Average                                       |
|  | TLV: Threshold Limit Value                                       |
|  | ASTM: American Society for Testing and Materials                 |

# Nordlub Getriebeöl ATF-ULV (ROT)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Abbreviations and acronyms:

|  |  |
|--|--|
|  | ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route                       |
|  | RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail                                    |
|  | ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin |
|  | IMDG: International Maritime Dangerous Goods   |
|  | ICAO: International Civil Aviation Organization  |
|  | IATA: International Air Transport Association  |
|  | STEL: Short Term Exposure Limit  |
|  | LD50: median Lethal Dose for 50% of subjects   |
|  | ATE: acute toxicity estimate   |
|  | LC50: median Lethal Concentration for 50% of subjects  |
|  | EC50: concentration producing 50% effect   |

### Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

### Full text of H- and EUH-statements:

|                       |  |
|-----------------------|--|
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4  |
| Aquatic Acute 1       | Hazardous to the aquatic environment — Acute Hazard, Category 1                                  |
| Aquatic Chronic 1     | Hazardous to the aquatic environment — Chronic Hazard, Category 1                                |
| Aquatic Chronic 2     | Hazardous to the aquatic environment — Chronic Hazard, Category 2                                |
| Aquatic Chronic 4     | Hazardous to the aquatic environment — Chronic Hazard, Category 4                                |
| EUH208                | Contains 4,4'-thiodiethylene hydrogen -2-octodecenylsuccinate. May produce an allergic reaction. |
| Eye Irrit. 2          | Serious eye damage/eye irritation, Category 2  |
| H312                  | Harmful in contact with skin.  |
| H314                  | Causes severe skin burns and eye damage.   |
| H315                  | Causes skin irritation.  |
| H317                  | May cause an allergic skin reaction.   |
| H319                  | Causes serious eye irritation.   |
| H400                  | Very toxic to aquatic life.  |
| H410                  | Very toxic to aquatic life with long lasting effects.  |
| H411                  | Toxic to aquatic life with long lasting effects.   |
| H412                  | Harmful to aquatic life with long lasting effects.   |
| H413                  | May cause long lasting harmful effects to aquatic life.  |
| Skin Corr. 1B         | Skin corrosion/irritation, Category 1, Sub-Category 1B   |
| Skin Irrit. 2         | Skin corrosion/irritation, Category 2  |
| Skin Sens. 1          | Skin sensitisation, Category 1   |

# Nordlub Getriebeöl ATF-ULV (ROT)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

---

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.